

**DELUXE RADIAL PASSENGER TUBES - IMPORT**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>PALLET QTY</b>	<b>VALVE</b>
3NP17	FR13/14	1.5	10	500	TR-13
3NP27	FR15	1.7	10	500	TR-13
3NP37	GR13/14/15	1.7	10	500	TR-13
3NP47	KR14/15	2.0	10	500	TR-13
3NP57	MR14/15	2.4	10	500	TR-13
3NP59	MR16 HD	2.6	10	400	TR-15CW
3NP67	GR16	2.2	10	500	TR-13
3NP77	KR16	2.3	10	500	TR-13

**DELUXE H/S RADIAL LIGHT TRUCK TUBES - IMPORT**

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
1ER10	7R/8R/9R-14.5LT	1.9	10	500	TR15CW
1ER35	7.00R/7.50R15, 6.70R/7.50R/GR/HR/LR-78-15LT, LT215/235/75R15, LT225/75R15, LT235/75R15, LT245/70R15, LT255/70R15, P215/225/235/75R15, P245/255/70R15	2.2	10	500	TR13
1ER36	7.00R/7.50R15, 6.70R/7.50R/GR/HR/LR-78-15LT LT215/235/75R15	2.2	10	500	TR-150
1ER05	9R/10R/11R15LT, 30X9.50/31X10.50/31X11.50/32X11.50R15LT, LT265/275/285/70R15, LT275/70R16, LT275/65R16, LT265/70R17, P265/275/75R16, P265/70R16	3.4	6	300	TR-13
1ER51	9.00R15/16LT	4.5	4	280	TR150
1ER09	12R15/16LT, 33X12.50R15, LT315/70R15, LT325/60R15, LT265/285/75R16, LT305/70R16, LT275/65R17, LT275/60R17, LT285/60R17, LT235/70R17, P315/70R15, P275/70R16, P305/70R16, 275/65R17, P265/305/70R17	3.8	6	300	TR-13
1ER33	6.00/6.50R16LT, FR78-16LT	2.7	10	500	TR15
1ER30	6.00/6.50R16LT, FR78-16LT	2.7	10	500	TR150
1ER41	7.00R/7.50R16LT, GR/HR/78-16LT, LT215/235/85R16, LT225/85R16, LT225/70R16, LT225/235/245/265-75R16, LT235/245/255/70R16, 8.25R16LT	3.2	10	400	TR-15CW
1AJ41	7.00R/7.50R16LT, GR/HR/78-16LT, LT215/235-85R16, LT225/245/265-75R16	3.2	10	400	TR-135
1ER40	7.00R/7.50R16LT, GR/HR/78-16LT, LT215/235-85R16, LT225/245/265-75R16	3.2	10	400	TR-150
1AJ40	7.00R/7.50LR16LT	3.0	10	400	TR-440
1AJ39	7.00R/7.50R16LT, LR78-16LT, P265/75R16LT, P215/85R16LT, LT225/70R16, LT255/85R16, LT235/65R16, LT235/70R16, LT235/75R16, LT235/85R16, LT245/70R16, LT255/60R17, P255/70R16, P225/85R16, P235/70R16, P235/75R16, P235/85R16LT, P245/70R16, P245/75R16, P255/70R16LT, P255/85R16LT, P275/60R16LT, P265/70R16LT, P235/65R17, P255/60R17, P265/60R17LT, P275/60R17, P285/60R17	3.2	10	400	TR-13
1AJ37 *	7.00R/7.50R16LT	3.0	8	320	TR-75A
1ER11	8.00R/8.75R16.5LT	2.2	10	500	TR-15CW
1ER15	9.50R16.5LT	2.4	10	400	TR-15CW
1WE16	10R/12R16.5LT	3.8	6	300	TR15CW
1WE38	14/35/36.5R15/16/16.5LT	5.2	2	100	TR13

**DELUXE H/S RADIAL SKID STEER LOADER / MANLIFT / DUPLEX TRUCK TUBES - IMPORT**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>PALLET QTY</b>	<b>VALVE</b>
1QE78	7R/8R17.5, 215/235/75R17.5, 245/70R17.5	2.5	6	240	TR-15CW
1QE82	14R17.5, 31X13.00R16.5, 355/70D17.5, 330/55D16.5 NHS, 33X15.50R16.5, 395/55D16.5 NHS	5.2	4	160	TR-15CW
1QE20	8/9R19.5	2.8	6	240	TR15CW
1QE86	15R/18R19.5, 385/65D19.5, 445/65D19.5	10.7	2	80	TR15CW
1QE21	15R/18R19.5, 385/65D19.5, 445/65D19.5	10.7	2	80	TR218A
1QE85	15R/18R19.5, 385/65D19.5, 445/65D19.5	10.8	2	80	TR440
1QE22	8R/9R22.5, 255/70R22.5	4.3	4	160	TR15CW
1QE18	10R/11R/12R22.5, 285/295-75R22.5, 275/80R22.5	6.4	4	160	TR300
1QE23	15R/16.5R/18R22.5, 385/445-65D22.5	11.0	2	80	TR15CW
1QE19	11R/12.4R24.5, 285/75R24.5	8.8	4	160	TR15CW

**DELUXE H/S RADIAL MEDIUM TRUCK TUBES - IMPORT**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>PALLET QTY</b>	<b>VALVE</b>
1EK47	7.00/7.50R17/18	3.7	6	300	TR-440
1EK58	7.50R20	3.9	6	300	TR-441
1EK59	8.25R20	4.9	4	200	TR-442
1EK61	9.00R20	5.4	4	200	TR-443
1EK65	10.00/12.80R20	6.0	4	200	TR-444
1EK69	11.00/12.00/13.80/14.80R20	7.2	4	160	TR-444
1EK03	13.00/14.00R20/21	10.9	2	100	TR-445
1EK67	10.00/11.00R22	7.7	4	160	TR-444
1EK74	11.00/12.00R24/25	8.8	2	100	TR-444
1EK19	13.00/14.00R24/25	10.8	2	100	TR-445

**DELUXE H/S MEDIUM TRUCK TUBES - IMPORT**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>PALLET QTY</b>	<b>VALVE</b>
4JE59	8.25-20	4.4	4	200	TR-442
4JE61	9.00-20	5.2	4	200	TR-443
4JE65	10.00-20	6.6	4	200	TR-444

**DELUXE H/S RADIAL LPT TUBES - IMPORT**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>PALLET QTY</b>	<b>VALVE</b>
1CE06	7.00R/7.50R15TR	2.3	6	--	TR-440
1CE07	8.25R15TR	3.2	4	--	TR-444
1CE08	9.00/10.00/11.00R15TR	4.7	4	--	TR-444

**DELUXE GRADER & OTR RADIAL TUBES - DOMESTIC**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>PALLET QTY</b>	<b>VALVE</b>
1GR30 #	16.00R20/21	16.3	1	60	SP1000
1GR19	13.00/14.00R24	10.2	2	80	TR-220A
1GR23	15.5R16.00R17.5R24/25	14.5	1	45	TR-220A
1GR24 #	15.5R16.00R17.5R24/25	14.5	1	45	SP1000
1GR33	24R27.25R21	27.0	1	32	SP1000
1GR36	14.00R24/25	10.7	2	80	SP1000
1GR26 #	18.00R20.5R24/25	18.1	1	45	SP1000

# BASE ONLY – USE BRIDGEPORT NO. 37-098 SPUD ADAPTER FOR WIDE RANGE APPLICATION

**NATURAL RUBBER – RADIAL REAR FARM TUBES - DOMESTIC**

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
1KN63	16.9R/18.4R38, 480/80R38	20.6	1	45	TR218ANR
1KN65	20.8R38, 600/65R38, 520/85R38	24.4	1	45	TR218ANR
1KN67	710/70R38, 650/85R38	36.8	1	24	TR218ANR
1KN68	9.50R40, 230/95R40	13.1	2	80	TR218ANR
1KN70	18.4R42, 480/80R42	22.2	1	45	TR218ANR
1KN72	20.8R42, 520/85R42, 620/70R42, 650/65R42	26.4	1	45	TR218ANR
1KN73	710/70R42	40.2	1	24	TR218ANR
1KN83	16.9R/18.4R46, 480/80R46	24.1	1	45	TR218ANR
1KN90	320/90R, 300/95R, 270/95R50/52/54	15.9	1	24	TR218ANR

**RADIAL REAR FARM – SEVERE SERVICE - DOMESTIC**

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
1KT14	23.1/28LR26	32.1	1	--	TR-218A
1KT33	16.9/18.4R30, 480/70R30, 420/90R30	16.8	1	45	TR-218A
1KT38	24.5R32/23.1R34, 650/75R32 600/620/75R34	35.5	1	--	TR-218A
1KT40	30.5LR32, 650/75R34	40.4	1	--	TR-218A
1KT41	16.9/18.4R34, 520/70R34	19.4	1	45	TR-218A
1KT43	20.8R34, 520/70R34	23.1	1	45	TR-218A
1KT61	15.5R38, 320/85R38	19.0	1	60	TR-218A
1KT62	16.9R/18.4R38, 480/80R38	21.6	1	45	TR-218A
1KT65	20.8R38, 580/70R38, 520/85R38, 600/65R38	25.6	1	45	TR-218A
1KT68	18.4R42, 480/80R42	25.0	1	45	TR-218A
1KT70	20.8R42, 520/85R42, 620/70R42, 650/65R42	27.1	1	45	TR-218A
1KT74	16.9R/18.4R46, 480/80R46	25.8	1	45	TR-218A



**DELUXE RADIAL REAR FARM TUBES - DOMESTIC**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>PALLET QTY</b>	<b>VALVE</b>
1KC01	13.6R16	6.8	4	160	TR218A
1KC61 *	14.9R20, 475/65D20	10.7	2	80	TR218A
1KC03	9.5R22	5.4	4	160	TR218A
1KC02	7.50/8.3/9.5/R-24	5.0	4	160	TR218A
1KC04	13.9R/14.9R24/26, 340/85R24, 380/85R24	10.3	2	80	TR218A
1KC05	16.9R/17.5R24, 420/70R24, 480/65R24	11.0	2	80	TR218A
1KC06	18.4R/19.5LR/21LR24, 540/65R24	15.7	1	45	TR218A
1KC07	9.00/10.00/11.2/12.4R24, 320/85R24	6.4	4	160	TR218A
1KC13	23.1R/28LR/620/75R26	23.5	1	32	TR218A
1KC20	11.2R/12.4R28	7.4	4	160	TR218A
1KC21	13.6R/14.9R28/30, 420/70R28, 340/85R28, 380/85R28	11.5	2	80	TR218A
1KC22	16.9R/18.4R26/28, 480/70R28, 420/85R26	11.9	2	80	TR218A
1KC31	14.9R/16.9R/18.4R30, 480/70R30, 380/85R30, 420/90R30	14.0	2	80	TR218A
1KC32	23.1R30, 600/65R28	19.6	1	45	TR218A
1KC49	9.5R32	6.3	4	160	TR218A
1KC38	24.5R32, 650/75R32	25.7	1	24	TR218A
1KC40	30.5LR32, 650/75R32, 800/65R32	33.7	1	24	TR218A
1KC41	16.9R/18.4R34, 480/70R34, 480/80R34, 480/85R34	16.2	1	60	TR218A
1KC43	20.8R34, 520/70R34	19.2	1	45	TR218A
1KC44	23.1R34	22.4	1	32	TR218A
1KC45	13.6R/14.9R/34 380/85R34, 385/85R34	12.8	2	80	TR218A
1KC50	9.5R36	6.9	4	160	TR218A

**DELUXE RADIAL REAR FARM TUBES - DOMESTIC**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>PALLET QTY</b>	<b>VALVE</b>
1KC51	11.2R34/290/95R34, 320/85R34 11.2R36/12.4R36	8.1	2	112	TR218A
1KC60	11.2R/12.4R38	10.7	2	80	TR218A
1KC62	13.6R/13.9R/14.9R36/38	12.8	2	80	TR218A
1KC63	16.9R/18.4R38, 480/80R38	18.0	1	60	TR218A
1KC64	13.6R/13.9R/14.9R/15.5R38, 320/85R38	16.0	2	80	TR218A
1KC65	20.8R38, 600/65R38, 520/580-70R38, 520/85R38	21.3	1	45	TR218A
1KC68	9.5R/11.2R/12.4R42	8.2	2	112	TR218A
1KC70	18.4R42, 480/80R42	20.9	1	45	TR218A
1KC72	20.8R42, 520/620-70R42, 520/85R42, 650/65R42	22.5	1	45	TR218A
1KC81	12.4R/13.6R46, 320/90R46	13.2	2	80	TR218A
1KC82	14.9R46, 380/90R46	15.6	1	60	TR218A
1KC83	16.9R/18.4R46, 480/80R46	21.0	1	45	TR218A

## DELUXE RADIAL REAR FARM TUBES - IMPORT

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
1KF01	13.6R20	6.6	4	160	TR218A
1KF02	7.50/8.3/9.5/R-24	5.0	4	200	TR218A
1KF07	9.00/10.00/11.2/12.4R24, 320/85R24	6.4	4	200	TR218A
1KF04	13.6R/14.9R24/26, 340/85R24, 380/85R24	10.3	2	100	TR218A
1KF05	16.9R/17.5R24, 420/70R24, 480/65R24	11.0	2	100	TR218A
1KF06	18.4R/19.5LR/21LR24, 540/65R24	15.7	2	50	TR218A
1KF22	16.9R/18.4R26/28, 480/70R28, 420/85R26	11.9	2	100	TR218A
1KF20	11.2R/12.4R28	7.4	2	500	TR218A
1KF21	13.6R/14.9R28/30, 420/70R28, 340/85R28, 380/85R28	11.5	2	100	TR218A
1KF31	14.9R/16.9R/18.4R30 480/70R30, 380/85R30, 420/90R30	14.0	2	80	TR218A
1KF41	16.9R/18.4R34, 480/70R34, 480/80R34, 480/85R34	16.2	1	50	TR218A
1KF51	11.2R/12.4R36	8.1	2	100	TR218A
1KF60	11.2R/12.4R38	10.7	2	140	TR218A
1KF61	15.5R38, 320/85R38	16.0	2	200	TR218A
1KF63	16.9R/18.4R38, 480/80R38	18.0	2	50	TR218A
1KF67 *	9.50R40, 230/95R40	9.3	1	30	TR218A
1KF75 *	11.2R44, 270/98R44, 300/95R46	11.9	1	30	TR218A
1KF99	20.8R46, 520/85R46	22.3	2	100	TR218A
1KF85	9.5R/11.2R48 230/95R48 270/95R48	16.2	1	30	TR218A
1KF91	16.9/18.4R50, 380/90R420/85R420/90R460/85R480/80R50	21.5	1	24	TR218A

**FLOTATION — NATURAL RUBBER TUBES**

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
1FN51	42/48X25.00R20 (CENTER VALVE)	16.6	1	60	TR218ANR
1FN52	42/48X25.00R20 38X18.00R20 (3 3/4" OFFSET VALVE)	16.6	1	60	TR218ANR
1FN54	48X31.00R20	22.5	1	45	TR218ANR
1FN53	67X34.00R26/25 FLB (CENTER VALVE)	37.5	1	24	TR218ANR
1FN55	66X43.00R26/25 FLB (CENTER VALVE)	40.5	1	24	TR218ANR
1FN56	67X34.00R26/25 DCR (8" OFFSET VALVE)	37.5	1	24	TR218ANR
1FN58	66X43.00R26/25 DCR (8" OFFSET VALVE)	40.5	1	24	TR218ANR
1FN61	73X44.00R32, 1100/50R32 (CENTER VALVE)	44.8	1	24	TR218ANR

DCR = DROP CENTER RIM, FLB = FLAT BASE RIM

**FORESTRY – NATURAL RUBBER TUBES**

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
3FS12	16.9R/18.4R26	15.6	1	45	TR218ANR
3FS13	23.1R26, 750/55B26.5, 650/65B26.5	29.3	1	24	TR218ANR
3FS14	28LR26	30.1	1	24	TR218ANR
3FS52	600/55R26.5/700/50R26.5	20.3	1	45	TR218ANR
3FS16	16.9R18.4R30	18.2	1	45	TR218ANR
3FS38	24.5R28L60R32	37.6	1	24	TR218ANR
3FS39	30.5LR32	44.8	1	24	TR218ANR
3FS44	35.5LR32 FLB (4" OFFSET VALVE)	44.8	1	24	TR218ANR
3FS48	DH35.5LR32DCR (8" OFFSET VALVE)	44.8	1	24	TR218ANR
3FS50	16.9R/18.4R34	19.5	1	45	TR218ANR
3FS54	20.8R34, 600/65B34	25.2	1	45	TR218ANR
3FS56	23.1R34, 700/55B34	29.3	1	24	TR218ANR

**FRONT FARM – NATURAL RUBBER**

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
1HN32	13.50R16.5LR16.1	8.3	2	80	TR218ANR
1HN26	18.4R19.5LR21.5LR16.1	13.2	1	60	TR218ANR

## DELUXE FRONT FARM & IMP. TUBES - IMPORT

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
2WE31	4.80/4.00-8/9	0.8	10	700	TR-13
2WE02	9.00/9.5L-10	2.2	4	280	TR-150
2WE03	9.00/9.5L-10	2.2	4	280	TR-218A
2WE53	23X8.50/9.50/10.50-12/23.5X8.5-12	2.0	10	500	TR13
2WE08	7/7.5L/7.50/8/8.5L/ 9.5LR14/15	2.4	10	400	TR-13
2WE52	11L-14	3.0	10	400	TR13
2WE05	4.00/5.00-15	1.2	10	500	TR-15
2WE09	11L15	3.8	10	400	TR-15CW
2WE30	11L15/16	3.0	8	320	TR-15CW
2WE13	6.50/6.70/7.00/7.50/7.60-15/16	1.2	10	500	TR-15
2WE15	12.5L-15/16, 31X15.50-15 NHS	4.9	4	280	TR-218A
2WE18	27X8.50/9.50/10.50-15, 215/70D15 NHS, 260/65D15NHS	2.4	10	500	TR-15CW
2WE10	9.00/10.00-15, 9.00/10.00-16	5.1	6	240	TR-150
2WE16	9.00/10.00-16	4.1	6	240	TR-15CW
2WE23	11.0016	5.0	4	160	TR-15CW
2WE45	9.5L/10.00/11L-16, 31X12.50/13.50-15, 33X12.50-15	4.1	6	240	TR218A
2WE37	5.50/5.90/6.00/6.40-15/16	1.8	10	400	TR-15
2WE28	12.4-16/14.5L/14-16.1/14.5/75-16.1SL, 36X13.50-15, 12.5/80-18	7.0	2	112	TR-15CW
2WE32	13.50/16.5L16.1	9.4	2	100	TR218A
2WE26	18.4/19.5L21.5L16.1	13.0	1	24	TR218A
2WE17	6.50/7.00/7.50-18	3.0	4	280	TR-15
2WE19	4.00-18/19	1.5	10	500	TR-15
2WE21	7.50/8.25-20	3.8	6	280	TR-15
2WE36	8.3/9.50/12.50-18, 9.00/9.50/10.00/12.5-20	6.4	4	200	TR-15CW
2WE60	10.5L/12.5L-18/20	4.6	4	224	TR-15CW

TR13 or TR13CW valves applied in a large (0.656") rim hole must have a B6 bushing applied or the valve will fail.

## LAWN & GARDEN BIAS - IMPORT

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
4LE05	13X5.00/6.50-6	0.7	10	700	TR13
4LE07	15X6.00-6	0.8	10	700	TR13
4LE10	16X6.50/7.50-8	1.2	10	700	TR13
4LE15	18X8.50/9.50-8	1.5	10	500	TR13
4LE16	4.50-10	1.0	10	700	TR13
4LE17 *	5.00/5.20-10	1.0	10	700	TR13
4LE18	6.50-10	1.6	10	500	TR15
4LE19	20X8.00-10	1.7	10	500	JS2
4LE23	600-12(6-12)	1.3	10	500	TR13
4LE25	24/26X12-12	3.0	10	500	TR13
4LE30 *	5-14	1.3	10	500	TR15
4LE31 *	6-14	1.6	10	500	TR13
4LE32	7-14	1.9	10	500	TR15
4LE36 *	212/80-15	2.4	10	500	TR15
4LE37	6.00/7-16	1.8	10	500	TR218A
4LE38	7.50/8/9.5-16	2.4	10	400	TR218A
4LE44 *	9.5-18	3.5	10	400	TR218A
4LE52	8.3/8/9.5-18/20	4.0	10	400	TR218A

TR13 or TR13CW valves applied in a large (0.656") rim hole must have a B6 bushing applied or the valve will fail.

**\*AVAILABLE UNTIL INVENTORY DEPLETED - 4LE17 replaced by 4LE16, 4LE31 replaced by 3NP17 (p.1), 4LE36 replace by 2WE18 (p. 13), 4LE39 replaced by 2WE13 (p.13), 4LE44 replaced by 4LE52**

**INDUSTRIAL MINING SERVICE - IMPORT**

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
<b>BIAS</b>					
2BE30 *	7.50/9.00-10	1.9	10	500	TR15CW
2BE31	7.50/9.00-10	2.0	10	500	TR440
2BE33	23X8/9-10	2.2	10	500	TR15CW
<b>RADIAL</b>					
2BE35	6.00/6.90-9/6.50R10	1.9	10	500	TR87
2BE37	6.00/6.90-9/6.50R10	1.4	10	500	TR440
2BE17	7.00R12	2.0	10	500	TR440
2BE26	8.25R15	3.5	4	280	TR440
2BE39	25X7.50/27X9.50/29X8/28/9/30X8/7.00R15	2.4	10	400	TR440
2BE41	29X10/32X12/32X12.1R15	4.2	10	300	TR440
2BE43	250/300R15	4.2	10	400	TR442

\*AVAILABLE UNTIL INVENTORY DEPLETED - Replaced by 2BE33

**INDUSTRIAL & TRAILER BIAS - IMPORT**

ARTICLE NUMBER	SIZE	WGT	PER BOX	PALLET QTY	VALVE
4BE40	2.80/2.50-4	0.3	10	1000	TR87
4BE44	4.10/3.50-4	0.4	10	1000	TR13
4BE48	4.10/3.50-4	0.4	10	1000	TR87
4BE52	4.10/3.50-5	0.4	10	1000	TR13
4BE56	4.10/3.50-5	0.4	10	1000	TR87
4BE60	11X4.00/4.50/6.00-5	0.7	10	1000	TR87
4BE64	4.10/3.50-6	0.5	10	1000	TR13
4BE68	4.10/3.50-6	0.5	10	1000	TR87
4BE72	5.30/4.50-6	0.6	10	1000	TR87
4BE76	3.50/3.00-8	0.5	10	1000	TR13
4BE80	3.50/3.00-8	0.5	10	1000	TR87
4BE88	4.80/4.00-8/9	0.8	10	700	TR87
4BE03	5.70/5.00-8	1.1	10	700	TR13
4BE41	5.70/5.00-8	1.1	10	700	JS2
4BE47	18X7.00-8	1.2	10	500	TR87
4BE51	6.90/6.00-9	1.3	10	500	TR13
4BE06	6.90/6.00-9	1.3	10	500	TR135
4BE43	6.90/6.00-9	1.4	10	500	JS2
4BE29	6.50/7.00/7.50-10	1.6	10	500	TR135
4BE45	6.50/7.00/7.50-10	1.7	10	500	JS2
4BE20	20.5X8.00-10/20X8/21X7/22X8-10	1.6	10	500	TR13
4BE54	4.00R4.50R4.80R5.00R5.30R5.70-12;DR12/13/14	1.0	10	700	TR13

TR13 or TR13CW valves applied in a large (0.656") rim hole must have a B6 bushing applied or the valve will fail.

**ATV BIAS - IMPORTED**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>PALLET QTY</b>	<b>VALVE</b>
3AT03	8.00-6/7	1.5	10	700	TR-87
3AT06	16X8.00-7	1.2	10	500	TR-6
3AT09	18X8.5/9.5/10/11-8, 19X8/9-8	1.5	10	500	TR-6
3AT12	20X7/10/11-8, 21X11/12-8, 22X9/10/11/12-8, 23X10-9, 20X7/10-9, 21X8-9, 22X7-9	1.8	10	500	TR-6
3AT15	24x11/13/13.5-9, 25x11/12/13.5-9, 24/25x11-10, 25x12-10	2.0	10	500	TR-6
3AT18	18x10/11-10, 20x7.50/8/10/11-10, 21x7-10, 22x7/8/9/10/11-10, 23x7/10-10	1.6	10	500	TR-6
3AT21	25x8-10, 22/23x8-11, 23.5x8-11, 24x8/9/10-11, 23x8/10-12, 24x8/10-12, 25x8/10-12	2.2	10	500	TR-6



**DELUXE IND. & TRAILER TUBES TUBES - IMPORT**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>VALVE</b>
2SE01	4.80/4.00-8	1.1	10	TR-13
2SE03	5.70/5.00-8	1.3	10	TR-13
2SE04	5.70/5.00-8	1.3	10	TR-244
2SE11	18X7-8	1.6	10	TR-75A
2SE05	6.90/6.00-9	1.7	10	TR-15
2SE06	6.90/6.00-9	2.2	10	TR135STR
2SE07	6.90/6.00-9	1.7	10	TR-150
2SE08	6.90/6.00-9	1.8	10	TR-244
2SE12	21X8-9	2.0	10	TR-244
2SE10	6.50/7/7.50-10	2.4	10	TR-244
2SE28	6.50/7/7.50-10	2.4	10	TR-15
2SE29	6.50/7.00/7.50-10	2.2	10	TR135STR
2SE13	5.30-12	1.3	10	TR-13CW
2SE14	4.80/4.00-12	1.3	10	TR-13CW
2SE15	6-12(6.00-12)	1.6	10	TR-13
2SE16	7.00-12	2.1	10	TR-75A
2SE19	7.00/7.50-15	2.5	10	TR-75A

**DELUXE FLAPS - IMPORTED**

<b>ARTICLE NUMBER</b>	<b>SIZE</b>	<b>WGT</b>	<b>PER BOX</b>	<b>OFFSET</b>
DB-12	570/500-8 (8-5.7)	1.4	20	3/8
DB-15	690/600-9 (9-6.7)	1.7	20	5/8
DB-21	650/750-10 (10-6.7)	1.7	20	3/4
DB-30	700/825-12 (12-6.0)	1.7	20	0
DB-49	700/750-16 (16-7.1LT)	3.0	12	3/4
DB-51	700/750-17 (17-7.0)	3.9	20	0
DB-43	700/750-18 (18-7.0)	4.1	20	0
DB-86	1300/1400-20 (20-9.0)	7.5	5	0
DB-88	1300/1400-24 (24-9.0)	9.7	5	0
DL-31	700/750/825R-15 (15R-7.0)	2.6	12	0
DL-32	700/750/825R-15LT	2.6	12	3/4
DL-50	900/1000/1100R-15 (15R-8.0)	3.3	12	0
DL-48	700/750/825R-16 (16R-7.1)	2.8	12	0
DL-49	700/750R-16LT (16R-7.1LT)	2.7	12	0
DL-61	750/825/900R-20 (20R-7.0)	4.1	10	0
DL-65	1000/1100/1200R-20 (20R-8.0)	4.9	10	0
DL-67	1000/1100/1200R-22 (22R-8.0)	5.7	8	0
DY-37	1300/1400-24TG (24-10.2TG)	9.7	5	0

## VALVE STEMS

ART. NO.	SIZE	TYPE	BOX WEIGHT	PER BOX
VST18 **	TR418	LONG RUBBER SNAP IN (Passenger)	16.5	500
VST72 **	TR572	NICKEL PLATE TRUCK STEM (Medium Trk)	15.4	500
VST73 **	TR573	TRUCK STEM 4-3/8" (Medium Trk)	66.0	500
VST74 **	TR574	TRUCK STEM (Medium Trk)	77.0	500

**\*\*AVAILABLE UNTIL INVENTORY DEPLETED - Being Replaced With Valve Stems Below.**

**\*FOR REFERENCE ONLY - MINIMUM ORDER 1 BOX**

ART. NO.	SIZE	TYPE	BOX WEIGHT	PER BOX
TR-412	TR-412	1" RIM HOLE .453	10.0	500
TR-413	TR-413	1 1/4" RIM HOLE .453	11.0	500
TR-413C	TR-413C	1 1/4" CHROME SLEEVE RIM HOLE .453	13.0	500
TR-418C	TR-418C	2" CHROME SLEEVE RIM .453	22.0	500
TR-600HP	TR-600HP	HIGH PRESSURE SNAP IN (Passenger/LT)	15.4	500

**\*FOR REFERENCE ONLY - MINIMUM ORDER 1 BOX**



# RADIAL

## PASSENGER INNER TUBE REPLACEMENT CHART

<b>ART #3NP04 - GROUP SIZE DR12/13/14 - TR-13 Valve</b>											
ALPHA NUMERIC			METRIC		P METRIC PASSENGER						
78	70	60	Numeric	Series	80	75	70	65	60	55	50
			4.50-12	135R12	P145/80R12						
			5.30-12	145R12	P155/80R12						
			5.20-14	155R12							
			6.50-14								
			7.00-14	145R13				P165/65R13			
			6-14	155R13							
<b>ART #3NP07 - GROUP SIZE ER12/ER13 - TR-13 Valve</b>											
ALPHA NUMERIC			METRIC		P METRIC PASSENGER						
78	70	60	Numeric	Series	80	75	70	65	60	55	50
			5.50-12				P165/70R12				
			5.60-12								
			6.00-12								
			6-12								
		AR60-13	5.60-13	165R13	P145/80R13	P165/75R13	P175/70R13				
		BR60-13	5.90-13		P155/80R13	P175/75R13					
			6.00-13		P165/80R13						
			6.15/155-13								
<b>ART #3NP17 - GROUP SIZE FR13/FR14 - TR-13 Valve</b>											
ALPHA NUMERIC			METRIC		P METRIC PASSENGER						
78	70	60	Numeric	Series	80	75	70	65	60	55	50
AR78-13	AR70-13		6.40-13	175R13	P175/80R13	P185/75R13	P185/70R13				
BR78-13	BR70-13		6.50-13		P185/80R13	P195/75R13	P195/70R13				
CR78-13	CR70-13		6.70-13								
			7.00-13								
BR78-14	CR70-14		5.60-14	166R14	P175/80R14	P175/75R14	P185/70R14	P175/65R14	P175/60R14		
CR78-14	DR70-14		6.00-14	175R14	P185/80R14			P185/65R14	P185/60R14		
DR78-14			7.35-14	185R14				P195/65R14	P195/60R14		
			7-14						P205/60R14		
									P215/60R14		
<b>ART #3NP27 - GROUP SIZE FR15 - TR-13 Valve</b>											
ALPHA NUMERIC			METRIC		P METRIC PASSENGER						
78	70	60	Numeric	Series	80	75	70	65	60	55	50
BR78-15			5.60-15	155R15	P155/80R15	P175/70R15				P205/55R15	P205/50R15
			5.90-15	165R15	P165/80R15						
			6.00-15	175R15							
			6.85-15								
									P205/60R16	P205/55R16	P205/50R16
<b>ART #3NP37 - GROUP SIZE GR13/GR14/GF15 - TR-13 Valve</b>											
ALPHA NUMERIC			METRIC		P METRIC PASSENGER						
78	70	60	Numeric	Series	80	75	70	65	60	55	50
	DR70-13			185R13			P205/70R13				
				195R13							
ER78-14	ER70-14	CR60-14	7.00-14LT#	195R14		P185/75R14	P195/70R14		P225/60R14		
FR78-14	FR70-14	ER60-14	7.9-14LT#			P195/75R14	P205/70R14				
GR78-14	GR70-14	GR60-14	26X8.50R-14LT#			P205/75R14	P215/70R14				
ER78-14LT#											
CR78-15	CR70-15	CR60-15	25X7.50R-15#	185R15	P195/80R15	P185/75R15	P195/70R15	P185/65R15	P195/60R15	P205/55R15	P195/50R15
DR78-15	DR70-15	DR60-15		195R15		P195/75R15	P205/70R15	P195/65R15	P205/60R15		
ER78-15	ER70-15	ER60-15				P205/75R15		P205/65R15	P215/60R15		
FR78-15	FR70-15							P215/65R15	P235/60R15		
GR78-15											
FOR TIRES IDENTIFIED "#", A PLASTIC B6 BUSHING MAY BE REQUIRED IF THE RIM HAS A .656" HOLE.											
<b>RADIAL TUBES MAY BE USED IN BIAS TIRES</b>											



VALVE	LENGTH INCHES	MAXIMUM PRESSURE	HAND BENDABLE	INTENDED FOR HYDROFLATION	BORE DIA
JS2	1.30**	60 PSI	BENT	NO	STANDARD
TR87	1.31**	150 PSI	BENT	NO	STANDARD
TR87S	1.0	150 PSI	NO	NO	STANDARD

\*\* BENT LENGTH (CENTER OF VALVE TO TIP OF BENT STEM)



**JS2**



**TR87**



**TR87S**

VALVE	LENGTH INCHES	MAXIMUM PRESSURE	HAND BENDABLE	INTENDED FOR HYDROFLATION	EQUIVALENT VALVES	BORE DIA	COMMENTS
V3.08.2/14	5.45**	150 PSI	BENT	NO		STANDARD	SUPPLIED WITH SCREW ON EXTENSION & WASHER
V3.08.2/15	5.75**	150 PSI	BENT	NO	~TR445	STANDARD	SUPPLIED WITH SCREW ON EXTENSION & WASHER

\*\* BENT LENGTH (CENTER OF VALVE TO TIP OF BENT STEM)



**V3.08.2 SPUD**



**TYPE 14 OR TYPE 15 EXTENSION W/ SEALING WASHER**

VALVE	LENGTH INCHES	MAXIMUM PRESSURE	HAND BENDABLE	INTENDED FOR HYDROFLATION	EQUIVALENT VALVES	BORE DIA	COMMENTS
TRSP1000	SPUD	150 PSI	N/A	NO		STANDARD	SEE BELOW

**ATTACHMENTS FOR TRSP1000 SPUD**


**1. STANDARD BORE BENT EXTENSIONS ROUGHLY EQUIVALENT TO TR440 SERIES TRUCK STEM**

TR1075A	3.0**	150 PSI	BENT	NO	TR440	STANDARD	SCREW ON TYPE
TR1177A	3.7**	150 PSI	BENT	NO	TR441	STANDARD	SCREW ON TYPE
TR1077A	4.1**	150 PSI	BENT	NO	TR442	STANDARD	SCREW ON TYPE
TR1175A	4.5**	150 PSI	BENT	NO	TR443	STANDARD	SCREW ON TYPE
TR1078A	5.0**	150 PSI	BENT	NO	TR444	STANDARD	SCREW ON TYPE
TR1179A	5.6**	150 PSI	BENT	NO	TR445	STANDARD	SCREW ON TYPE

**2. BY ADDING AD4 ADAPTER, THESE EXTENSIONS MAY BE USED**

TRJ670	2.22*	150 PSI	NO	NO		LARGE	SIMILAR TO COREHOUSING
TRJ1014	1.91	150 PSI	NO	NO		LARGE	SWIVEL STEM
TRJ1076A	4.16	150 PSI	NO	NO		LARGE	SWIVEL STEM
TRJ1076D	2.31**	150 PSI	BENT	NO		LARGE	SWIVEL STEM
TRJ1076E	3.00**	150 PSI	BENT	NO		LARGE	SWIVEL STEM
TRJ1175A	5.28	150 PSI	NO	NO		LARGE	SWIVEL STEM
TRJ1175C	4.13**	150 PSI	BENT	NO		LARGE	SWIVEL STEM
TRJ1078A	5.78	150 PSI	NO	NO		LARGE	SWIVEL STEM
TRJ1078B	4.62**	150 PSI	BENT	NO		LARGE	SWIVEL STEM
TRJ1179A	6.41	150 PSI	NO	NO		LARGE	SWIVEL STEM
TRJ1179B	5.25**	150 PSI	BENT	NO		LARGE	SWIVEL STEM
TRJ4000	2.5 TO 10	150 PSI	BENT	NO		LARGE	SWIVEL STEM

\*\* BENT LENGTH (CENTER OF VALVE TO TIP OF BENT STEM)



**ADAPTERS AND EXTENSIONS ARE NOT SUPPLIED WITH TUBE**

VALVE	LENGTH INCHES	MAXIMUM PRESSURE	HAND BENDABLE	INTENDED FOR HYDROFLATION	BORE DIA
TR15CW	1.375	150 PSI	NO	YES	STANDARD
TR15	1.375	60 PSI	NO	NO	STANDARD
TR135	2.44	60 PSI	YES	NO	STANDARD
TR150	3.50	60 PSI	YES	NO	STANDARD



VALVE	LENGTH INCHES	MAXIMUM PRESSURE	HAND BENDABLE	INTENDED FOR HYDROFLATION	BORE DIA	COMMENTS
TR218A	1.63*	150 PSI	NO	YES	LARGE	SUPPLIED W/ TRCH3 AND TRLN10
TR220A	2.00*	150 PSI	NO	YES	LARGE	SUPPLIED W/ TRCH3 AND TRLN10


\* WITH COREHOUSING (SUPPLIED)



**TR B9 BUSHING**      **TR LN13 RIM NUT**  
 THESE PARTS ARE USED TO ADAPT TR218A  
 VALVE TO SUPER LARGE BORE RIM HOLES.  
 NOT SUPPLIED. CALL.

VALVE	LENGTH INCHES	MAXIMUM PRESSURE	HAND BENDABLE	INTENDED FOR HYDROFLATION	EQUIVALENT VALVES	BORE DIA
TR440	3.0**	150 PSI	BENT	NO	TR460 TR75A	STANDARD
TR441	3.7**	150 PSI	BENT	NO	TR461 TR177A	STANDARD
TR442	4.1**	150 PSI	BENT	NO	TR462 TR77A	STANDARD
TR443	4.5**	150 PSI	BENT	NO	TR463 TR175A	STANDARD
TR444	5.1**	150 PSI	BENT	NO	TR464 TR78A	STANDARD
TR445	5.7**	150 PSI	BENT	NO	TR465 TR179A	STANDARD

\*\*BENT LENGTH (CENTER OF VALVE TO TOP OF BENT STEM)



**TR440 THROUGH TR445**

VALVE	LENGTH INCHES	MAXIMUM PRESSURE	HAND BENDABLE	INTENDED FOR HYDROFLATION	EQUIVALENT VALVES	BORE DIA	COMMENTS
TR4/TR6	1.16	60 PSI	NO	NO		STANDARD	
TR13	1.375	60 PSI	NO	NO		STANDARD	B6 BUSHING MUST BE ADDED FOR .656 RIM HOLE



MAKES TR13 EQUIVALENT TO TR15